

## Addendum No. 2

**Date:** 4.16.2024

**Project:** Lansing School District – Hill Center Track Replacement (SO-1802)

**Location:** 5815 Wise Road, Lansing, Mi 48911

**Project No:** 24001320A

**Distribution:** Todd Coe

---

This Addendum is issued to amend previously issued **Contract Documents and/or Addenda and/or Bulletins**. Except as otherwise specifically mentioned, the general character of the work required by this Addendum shall be the same as originally specified. When an item is mentioned with additional specifications given, reference shall be made to the original specifications.

The General Conditions and Specifications of the original job shall govern, unless otherwise noted. All incidental items required to provide the following modifications shall be included in the Contractor's proposal even though not specifically described. All requirements of the original Specifications and Drawings shall remain in force except as noted by this **ADDENDUM No. 2**.

**ITEM:**

1. Black poly coated chain link fence shall be #9 gauge
2. Fence post shall be SS40
3. No lean rail required
4. The line behind the low-rise bleachers (west side of bleachers) is representing fencing. The bleachers are to be located in a secured fence area.

**ATTACHMENTS:**

Specifications: (none)

**ADDENDUM NO. 1**, issued by Buddy Huyler, Principal/Regional Discipline Leader

C.C. Paul Furtaw, Buddy Huyler, Todd Coe –

**END OF ADDENDUM NO. 2**